			P-		

OVERVIEW for service sheet

09.06.2016

		_
M	വ	ام

212

(Countries with high dust levels)

	Γ	
	Service A	
\bowtie	Service B	
	Plus package	
	For every service (equipment specific)	
П	Once at 3,000 km (1,850 mi)	
$\overline{\Box}$	Service 3 at every service	
$\overline{\Box}$	Service 4 every 2 years	
$\overline{\Box}$	Service 8 every 50,000 km (31,000 mi) / 3 years	
$\overline{\Box}$	Service 8 every 75,000 km (46,500 miles)/4 years	
\Box	Service 10 every 50,000 km (31,000 miles)/3 years	
П	Service 11 every 75,000 km (46,500 mi) / 4 years	
\Box	Service 11 every 250,000 km (155,000 miles)/15 years	
	Service 12 every 50,000 km (31,000 miles) / 3 years	P00.00-4883-
	Service 12 every 75,000 km (46,500 miles) / 4 years	
	Service 13 every 250,000 km (155,000 mi) / 15 years	
	Service 15 at every Service B	
H	Service 20 once at 50,000 km (31,000 mi) / 3 years	
	Service 20 every 100,000 km (62,000 ml) / 5 years	
	Service 20 every 125,000 km (77,500 miles)/5 years	
	Service 20 every 120,000 km (77,000 miles)/3 years	
Custome	_{er} Carsten Bøgh Poulsen	Order number
VIN/lice	nse plate number WDD2120881A895039/BX3924	
Service	code <u>5</u> \	Workshop code
Remaini	ng distance	Remaining timeY\sum_
Oil type/	viscosity CW-33	Completion time/date 2023 - \$2 -08
Service (consultation performed at vehicle	Yes
Notes/ex	planations	
The follo	wing activities are hereby confirmed: etion of relevant service operations	

Service reception The completely edified reception report for service on variods is available To be performed by the service service on the service on early service servic	A Compl	B eted		Input condition not OK:		
Service reception The completely edited reception report for service on vehicle is available To be performed thy the Service Advisor (where market-specific conditions requirely.) The service scope is only fully performed when all acceptance is listed in the service scope is only fully performed when all acceptance is listed in the service scope is only fully performed when all acceptance is listed in the service sheet have been processed. Perform brake bust and enter the result in the table Perform brake bust and enter the result in the table Perform brake bust and enter the result in the table Perform brake bust and enter the result in the table Perform brake bust on the extender sheet have been processed. Perform brake bust and enter the result in the table Perform brake bust on the extender sheet have been processed. Perform brake bust on the extender lights with even or dynamic LED headlamps and performed or headlamp range control or headlamps and performed performed or headlamps and performed or headlamps and performed performed or performed with level Performed by the performed pe						
The completely edited reception report for service on vehicle is available To be performed by the Service Advisor (where market-specific conditions required). The service scope is only fully performed when all acceptance is listed in the service scope is only fully performed when all acceptance is listed in the service scope is only fully performed when all acceptance is listed in the service sheet have been processed. Preform brake text and enter the result in the lable Preform brake text and enter the result in the lable Preform brake text and enter the result in the lable Preform brake text and enter the result in the lable Preform brake text and enter the result in the lable Preform brake text and enter the result in the lable Preform brake text and enter the result in the lable Preform brake text and enter the lable Pr	△	→			•	
AP00.20-P-0009Z To be performed by the Service Advisor (where market-specific conditions require). The service scope in only fully literal and the service scope in only fully literal and the maintenance items listed in the service scope in only fully literal and in the service scope in only fully literal and in the service scope in only fully literal and in the service scope in only fully literal and in the service scope in only fully literal and in the service scope in only fully literal and in the service scope in only fully literal and service scope in one service			Service reception			
To be performed by the Service Advisor (where market-specific conditions require). This service spots is only fully performed when all acceptance is so shy fully performed when all acceptance is so should be performed as a ship of the performed in the seal acceptance of the performed is ship of the performed which is ship of the performed which is ship of the performed is ship of the performed which is ship of the performed is ship of the performed in the performed in the performed is ship of the performed in the performed in the performed is ship of the performed in the performed in the performed in the performed is ship of the performed in the p		ø	The completely edited reception report for service on vehicle is available		0	4 Doo oo D oooo7
Perform brake test and enter the result in the table Perform brake test and enter the result in the table Vehicle exterior Check exterior lights for proper operation Check operation of headlamp range adjustment Check and correct the adjustment of the headlamps or headlamps are part controller on the exterior lights switch Check and correct the adjustment of the headlamps is to be involced as an additional operation. Vehicle interior Check windshield wipers, windshield washer system and headlamps dealings is to be involced as an additional operation. Vehicle interior Check windshield wipers, windshield washer system and headlamps dealing operation. Vehicle interior Check windshield wipers, windshield washer system and headlamps dealing operation. AP82.10-P.8250EW AP82.10-P.8250EW AP82.10-P.8250EW AP82.30-P.8252EW Check windshield wipers, windshield washer system and headlamps dealing operation. AP82.30-P.825EW Check windshield charcoal dust filter AP83.00-P.8384EW Check all visible parts in engine compartment Clean water drain Check all visible parts in engine compartment or damage and leaks Check visible area of poly-V belt for wear AP00.20-P.005SEW AP00.20-P.005SEW The country-specific regulations for mobility and body shell complaints apply. Check track rod and drag link linkage for play, check boots				specific conditions require). The service scope is only fully performed when all acceptance items and the maintenance items listed in the service sheet have been		AP00.20-P-00092
Vehicle exterior (Check exterior lights for proper operation Check exterior lights for proper operation Check exterior lights for proper operation Check exterior lights for proper operation Vehicles with xenon or dynamic LED leadings or headilism prange controller on the exterior lights which AP82.10-P-8250EW Check and correct the adjustment of the leadings is to be involved as an additional operation Check windshield wipers, windshield washer system and basaliamp cleaning system for proper operation AP82.30-P-8252EW Replace activated charcoal dust filter AP83.00-P-8384EW AP82.30-P-8384EW Check wisible parts in engine compartment Clean water drain AP82.35-P-8232A AP42.10-P-4210EW Check all visible parts in engine compartment for damage and leaks Check all visible parts of vehicle underside for damage and leakage AP00.20-P-0055EW AP13.22-P-1352EW AP00.20-P-0054EW The country-specific regulations for mobility and body shell complaints apply, check boots AP00.20-P-0054EW AP00.20-		d	Perform brake test and enter the result in		0	
Check exterior lights for proper operation Check operation of headlamp range adjustment Check and correct the adjustment of the headlamps or headlamp range controller on the exterior lights switch Check and correct the adjustment of the headlamps Check and correct the adjustment of the headlamps Check and correct the adjustment of the headlamps Check windshield wipers, windshield control or Xenon or dynamic LED headlamps. AP82.10-P-8250EW AP82.10-P-82						AP42.00-P-4290BA
Check operation of headlamp range adjustment Vehicles with xenon or dynamic LED headlamps or headlamp range controller on the exterior lights switch Check and correct the adjustment of the headlamps Check and correct the adjustment of the headlamps Check and correct the adjustment of the headlamps Check developed with level control or Xenon or dynamic LED headlamps, adjustment of the headlamps, adjustment of the headlamps is to be invoiced as an additional operation. Vehicle interior Check windshield washer system and headlamp cleaning system for proper operation AP82.30-P-8252EW Replace activated charcoal dust filter AP83.00-P-8384EW Clean water drain Brake system: Check fluid level Check all visible parts in engine compartment for damage and leaks Check visible area of poly-V belt for wear Check visible area of poly-V belt for wear Check all visible parts of vehicle check for damage and leaks Check all visible parts of vehicle underside for damage and leakage The country-specific regulations for mobility and body shell complaints apply. Check track rod and drag link linkage for play, check boots		ď			0	
AP82.10-P-8250EW Check and correct the adjustment of the headlamps or headlamp range controller on the extentor lights switch Check and correct the adjustment of the headlamps. (i) On vehicles aquipped with level control or Xenon or dynamic LED headlamps, adjustment of the headlamps is to be invoiced as an additional operation. Vehicle Interior Check windshield washer system and headlamp-cleaning system for proper operation AP82.30-P-8252EW Replace activated charcoal dust filter AP83.00-P-8384EW Engine compartment Clean water drain AP82.35-P-8232A AP42.10-P-4210EW Check all visible parts in engine compartment for damage and leaks Check visible area of poly-V belt for wear Underside of vehicle Check all visible parts of vehicle underside for damage and leakage I) The country-specific regulations for mobility and body shell complaints apply. Check loots		/	Chack appration of boadlamp range		_	AP82.10-P-8252EW
headlamps or headlamp range controller on the exterior lights switch AP82.10-P-8250EW Check and correct the adjustment of the headlamps [I] On vehicles equipped with level control or Xenon or dynamic LED headlamps, adjustment of the headlamps is to be invoiced as an additional operation. Vehicle interior Check windshield wipers, windshield washer system and headlamp cleaning system for proper operation AP82.30-P-8252EW Replace activated charcoal dust filter AP83.00-P-8384EW Engine compartment Clean water drain AP82.35-P-8232A AP42.10-P-4210EW Check all visible parts in engine compartment for damage and leaks Check visible area of poly-V belt for wear Underside of vehicle Check all visible parts of vehicle underside for damage and leakage I] The country-specific regulations for mobility and body shell complaints apply. Check track rod and drag link linkage for play, check boots					\circ	
Check and correct the adjustment of the headlamps I				headlamps or headlamp range controller on the exterior lights		<i>)</i>
AP82.10-P-8260EW I On vehicles equipped with level control or Xenon or dynamic LED headlamps, alignment of the headlamps is to be involced as an additional operation. Vehicle Interior		/	Chack and correct the adjustment of the		•	AP82.10-P-8250EW
□ Check all visible parts in engine compartment to damage and leaks Check visible area of poly-V belt for wear Check visible parts of vehicle Check dall visible parts of vehicle underside for damage and leakage Underside of vehicle Check track rod and drag link linkage for play, check boots Check track rod and drag link linkage for play, check boots				•••••	\circ	
Control or Xenon or dynamic LED headlamps, adjustment of the headlamps is to be invoiced as an additional operation. Vehicle interior Check windshield wipers, windshield washer system and headlamp cleaning system for proper operation AP82.30-P-8252EW Replace activated charcoal dust filter AP83.00-P-8384EW Engine compartment Clean water drain Brake system: Check fluid level Check all visible parts in engine compartment for damage and leaks Check visible area of poly-V belt for wear Check all visible parts of vehicle underside for damage and leakage Underside of vehicle Check all visible parts of vehicle underside for damage and leakage Check track rod and drag link linkage for play, check boots						AP82.10-P-8260EW
Check windshield wipers, windshield washer system and headlamp-cleaning system for proper operation Replace activated charcoal dust filter AP83.00-P-8252EW Replace activated charcoal dust filter AP83.00-P-8384EW Clean water drain AP82.35-P-8232A Brake system: Check fluid level Check all visible parts in engine compartment for damage and leaks Check visible area of poly-V belt for wear Check visible area of poly-V belt for wear Check visible area of vehicle Check all visible parts of vehicle underside for damage and leakage The country-specific regulations for mobility and body shell complaints apply. Check track rod and drag link linkage for play, check boots			•	control or Xenon or dynamic LED headlamps, adjustment of the headlamps is to be invoiced as an		
Engine compartment Clean water drain Brake system: Check fluid level Check all visible parts in engine compartment for damage and leaks Check visible area of poly-V belt for wear Check all visible parts of vehicle Check all visible parts of vehicle underside for damage and leakage Interpretation of the country-specific regulations for mobility and body shell complaints apply. Check track rod and drag link linkage for play, check boots		Ø	Check windshield wipers, windshield washer system and headlamp cleaning		0	AP82.30-P-8252EW
Engine compartment Clean water drain AP82.35-P-8232A Brake system: Check fluid level Check all visible parts in engine compartment for damage and leaks Check visible area of poly-V belt for wear Check all visible parts of vehicle Check all visible parts of vehicle underside for damage and leakage AP00.20-P-0055EW I The country-specific regulations for mobility and body shell complaints apply. Check track rod and drag link linkage for play, check boots			Replace activated charcoal dust filter			AP83.00-P-8384EW
Brake system: Check fluid level Check all visible parts in engine compartment for damage and leaks Check visible area of poly-V belt for wear Check visible area of poly-V belt for wear Underside of vehicle Check all visible parts of vehicle underside for damage and leakage I The country-specific regulations for mobility and body shell complaints apply. Check track rod and drag link linkage for play, check boots		. /				
Brake system: Check fluid level Check all visible parts in engine compartment for damage and leaks Check visible area of poly-V belt for wear Check visible area of poly-V belt for wear Check all visible parts of vehicle Check all visible parts of vehicle underside for damage and leakage In the country-specific regulations for mobility and body shell complaints apply. Check track rod and drag link linkage for play, check boots		g	Clean water drain			
Check all visible parts in engine compartment for damage and leaks Check visible area of poly-V belt for wear Check visible area of poly-V belt for wear Check all visible parts of vehicle Check all visible parts of vehicle underside for damage and leakage i The country-specific regulations for mobility and body shell complaints apply. Check track rod and drag link linkage for play, check boots		ď	Brake system: Check fluid level		0	
Check visible area of poly-V belt for wear Underside of vehicle Check all visible parts of vehicle underside for damage and leakage I The country-specific regulations for mobility and body shell complaints apply. Check track rod and drag link linkage for play, check boots AP00.20-P-0055EW AP00.20-P-0055EW AP00.20-P-0055EW Check track rod and drag link linkage for play, check boots	i I	1				AF42.10-F-4210EW
Check visible area of poly-V belt for wear Underside of vehicle Check all visible parts of vehicle underside for damage and leakage AP00.20-P-0054EW The country-specific regulations for mobility and body shell complaints apply. Check track rod and drag link linkage for play, check boots	Antininana and A _{ntinina} page of			, , , , , , , , , , , , , , , , , , ,	0	AP00 20-P-0055EW
Underside of vehicle Check all visible parts of vehicle underside for damage and leakage AP00.20-P-0054EW The country-specific regulations for mobility and body shell complaints apply. Check track rod and drag link linkage for play, check boots		也	Check visible area of poly-V belt for wear		0	
Check all visible parts of vehicle underside for damage and leakage AP00.20-P-0054EW The country-specific regulations for mobility and body shell complaints apply. Check track rod and drag link linkage for play, check boots			Underside of vehicle			AP13.22-P-1352EW
AP00.20-P-0054EW The country-specific regulations for mobility and body shell complaints apply. Check track rod and drag link linkage for play, check boots		d	Check all visible parts of vehicle underside		\circ	
The country-specific regulations for mobility and body shell complaints apply. Check track rod and drag link linkage for play, check boots			tor damage and leakage		•	AP00 20-P-0054FW
play, check boots			Check track rod and drag link linkage for	for mobility and body shell	\bigcirc	7. 55.251 0004244
		\\\\	play, check boots			AP46.00-P-4653FW

Ø	Check front axle ball joint for play, check boots	O	
Ġ∕	Check condition of drive shaft and flexible couplings		AP33.20-P-3353EW
	Check tires for damage and cracking and enter result in table	O	AP41.10-P-4152EW
			AP40.10-P-4051EW
D ′	Tires Plus package Correct tire pressure and enter set tire pressure in the table	O	AP40.15-P-4061A
	Check TIREFIT tire sealant		
	i Er here:	es fitted with TIREFIT eter TIREFIT expiration date	AP40.10-P-4054R
	Check first aid kit i En here:	place TIREFIT, invoice as nal operation. Other first aid kit expiration date place first-aid kit, invoice as	AP68.00-P-6850EW
ď	an add Check luggage compartment illumination for proper operation	itional operation.	
□⁄	Engine compartment Plus package Windshield washer system: Check/correct fluid level i Use well as	e summer/winter cleaner as the mixing ratio to match the t temperature.	AP82.35-P-8210EW
	Vehicle interior Plus package Check lamps in the instrument cluster and interior illumination for proper operation	0	AP54.30-P-5453EW

,				
		Engine compartment Service 3 at every service		
		Engine: Change oil and filter	ow-20 ELF	
ш	\square			
			Engine 276	AP18.00-P-0101CWZ
				7.11 10100 1 01010112
		Engine company		
		Engine compartment Service 4 every 2 years		
		Brake system: Replace brake fluid		
	ш		••••	
				AP42.00-P-4280EW
		Engine compartment Service 8 every 75,000 km (46,500 miles)/4 years		
	السد	Replace air filter element		
Ш		replace all litter element		
				,
			Engine 276.9	AP09.10-P-0980MM
				1
Т				7
		Vehicle interior Service 11 every 250,000 km (155,000 miles)/15 years	3	
		Replace fuel filter		
Ш				
			Engine 156, 157, 271, 272, 273, 274, 276, 278	AP47.20-P-0780EW
1			LIT, LIU, LIU	1

			e compartment 12 every 75,000 km (46,500 ke se spark plugs	miles) / 4 years				
					Engine 157, 27	72, 273, 276, 278		AP15.10-P-1580EW
		Service 1	side of vehicle 13 every 250,000 km (155,00 se main circuit coolant	00 mi) / 15 years				AP20.00-P-2080EW
				/				/
		Service 2	side of vehicle 20 once at 50,000 km (31,000 atic transmission: Carr ange					
					Transmission 7 834526 except	722.9## #2 up to t 722.930/931/971		AP27.00-P-2702W
		20 every 125,000 km (77,500 atic transmission: Carr			722.9## #2 as of 722.930/931/971		AP27.00-P-2702W	
Brake \	/alues							
			Left			Right		
Front								
Rear Parkin	g brake	•			***************************************			
Tire co	ndition					<u> </u>	agellar Program grand Angellar	
		Right		Left front		Right rear		Left rear
	Condition OK. Condition NOK.			~		×2		×
Set tire	pressi	ure in bar or psi	Front axle		Rear axle		Spare	wheel
bar/psi	i	0						